

****** SPECIFICATIONS ******

FOR:

ST. JOHN THE BAPTIST PARISH

**2020 PARISHWIDE STREET
DITCH DRAINAGE
IMPROVEMENTS**

FOR:

ST. JOHN THE BAPTIST PARISH

**PARISH PRESIDENT
JACLYN HOTARD**

**COUNCIL
CHAIRMAN
LENNIX MADERE-DIVISION A**

**MICHAEL P. WRIGHT – DIVISION B
KURT P. BECNEL – DISTRICT I
WARREN "BOSCO" TORRES, JR. – DISTRICT II
TAMMY HOUSTON – DISTRICT III**

**TYRA DUHE-GRIFFIN – DISTRICT IV
ROBERT J. ARCURI – DISTRICT V
TONIA SCHNYDER – DISTRICT VI
THOMAS MALIK – DISTRICT VII**

BY:

**C. J. SAVOIE CONSULTING ENGINEERS, INC.
POST OFFICE DRAWER R
PAINCOURTVILLE, LA 70391**

JULY 2020

ADVERTISEMENT FOR BIDS

Sealed bids will be received by St. John the Baptist Council in the Government Complex Building, 1811 W. Airline Highway, Laplace, LA. 70068, at the Receptionist Desk., until **9:45 a.m., August 28, 2020** for the following:

PARISHWIDE STREET DITCH DRAINAGE IMPROVEMENTS

Contract will be awarded from date of recorded contract until December 31, 2021.

Bids will be opened and read aloud at **10:00 a.m., August 28, 2020** in the Government Complex Building, 1811 W. Airline Highway, Laplace, LA. 70068.

Complete Specifications and Bid Documents may be obtained from:

C.J. Savoie Consulting Engineers, Inc.
P.O. Drawer R
Paincourtville, La. 70391
(985) 369-2341

for a cost of \$25.00 made payable to C.J. Savoie Consulting Engineers, Inc. All bidders must show proof that he or she is licensed in the State of Louisiana to perform this type of work. **Contractor's license number must be on the face of the sealed envelope containing his bid. The envelope must be designated as "Sealed Bids – Parishwide Street Ditch Drainage Improvements."** Details may be viewed and electronic bids are being accepted at www.centralbidding.com. All Bid Documents and Specifications may also be viewed at the Parish website, www.sjbparish.com. Questions and comments regarding this Proposal must be submitted in writing to St. John the Baptist Parish, Purchasing & Procurement Department, ATTN: Peter Montz, 1811 West Airline Highway, LaPlace, LA 70068 or via e-mail to p.montz@Stjohn-la.gov no later than 3:00 P.M. on August 20, 2020.

The bid must be accompanied by a bid security equal to five percent (5%) of the base bid and must be in the form of a certified check, cashier's check or bid bond written by a company licensed to do business in Louisiana. Certificates of Liability Insurance, Vehicle Insurance and Workmen's Compensation Insurance will be required. The successful bidder shall be required to furnish a Performance Bond written by a company licensed to do business in Louisiana, in the amount of \$1,000,000.00 to be held until December 31, 2021.

St. John the Baptist Parish Council, being a government agency, is exempt from all sales tax. Therefore, the amount you bid should contain no sales tax.

St. John the Baptist Parish reserves the right to accept or reject any and all bids and not waive any irregularities or informalities incidental thereto, and to accept any bid which the Council feels serves their best interest.

Any person with disabilities requiring Special Accommodation must contact the St. John the Baptist Parish Council Office at (985) 652-9569 no later than seven (7) days prior to bid opening.

Participation by minority and female-owned businesses, as well as businesses located in this Parish, is encouraged.

ST. JOHN THE BAPTIST PARISH COUNCIL

Publish:
July 29, 2020
August 5, 2020
August 12, 2020

INDEX

TECHNICAL SPECIFICATIONS

I.	SCOPE	1
II.	PERMITS AND PRECAUTIONS.....	2
III.	GRADING & EARTHWORK.....	3
IV.	DRAINAGE CULVERT PIPE	4
V.	CATCH BASIN	6
VI.	CONCRETE	7
VII.	DRIVEWAY AND STREET SECTION REMOVAL & REPLACEMENT.....	8
VIII.	ASPHALT PAVING	9
IX.	LIMESTONE	11
X.	FILL MATERIAL (ROADBED & DRIVEWAYS)	12
XI.	MANHOLE AND VALVE COVERS	13
XII.	CLEAN-UP	14
XIII.	BASIS OF PAYMENT	15

BID DOCUMENTS

LOUISIANA UNIFORM PUBLIC WORK BID FORM.....	BP-1
ATTESTATION AFFIDAVIT	BP-10
NON-SOLICITATION AND UNEMPLOYMENT AFFIDAVIT	BP-12
CORPORATE RESOLUTION.....	BP-13
DEBARMENT CERTIFICATION.....	BP-15

CONTRACT DOCUMENTS

CONSTRUCTION CONTRACT	CD-1 THRU 3
-----------------------------	-------------

SPECIAL CONDITIONS

SCOPE.....	SC-1
INSURANCE	SC-1
CONTRACTOR'S INSURANCE RESPONSIBILITY	SC-2
HOLD HARMLESS AGREEMENT	SC-2
EXCLUSIONS.....	SC-2
DISCLOSURE	SC-3
LICENSE REQUIREMENTS.....	SC-3
CERTIFICATE & TAX FORMS	SC-3
COMMENCEMENT OF WORK	SC-3
TIME OF COMPLETION, CONSTRUCTION, SCHEDULE	SC-3
ENGINEER'S RESPONSIBILITY	SC-4
PUBLIC WORKS' RESPONSIBILITY	SC-4
PARISH PAYMENT RESPONSIBILITY.....	SC-4
LIENS.....	SC-4

GENERAL CONDITIONS

PART I-DEFINITION OF TERMS.....	GC-1
PART II- INSTRUCTIONS TO BIDDERS.....	GC-6
PART III- SCOPE OF WORK	GC-8
PART IV - CONTROL OF THE WORK.....	GC-10
PART V - CONTROL OF MATERIALS	GC-13
PART VI - LEGAL RELATIONS AND RESPONSIBILITIES TO THE PUBLIC.....	GC-15
PART VII - PROSECUTION AND PROGRESS OF WORK.....	GC-17

**SPECIFICATIONS
FOR
ST. JOHN THE BAPTIST PARISH
2020 PARISHWIDE DRAINAGE IMPROVEMENTS**

I. SCOPE

St. John the Baptist Parish Public Works Department proposes to complete drainage improvements to street ditches in the Parish based on a priority list established by the Parish Administration. Improvements will include as required on each street ditch: excavation; culvert & catch basin installation as required; driveway removal and replacement, and all labor and materials necessary to complete the work.

The "Bid Proposal" is for estimated annual quantities for excavation and grading equipment, truck hauling, culvert and catch basin installation, asphalt and concrete removal and replacement and all incidentals to complete the drainage improvements as required. The unit prices submitted shall be binding for all labor, materials and equipment as provided in the awarded contract for the various areas of the Parish. The Engineer will coordinate with the Contractor to complete the drainage work in each area in order to minimize mobilization. The unit prices submitted on each proposal shall be binding for the remainder of this year ending on December 31, 2021.

The Contractor shall submit a bid bond in the amount of five percent (5%) of his or her bid for the typical street and a \$1,000,000.00 performance bond to be held until December 31, 2021. All drainage ditch work to be completed shall be at the direction of the Project Engineer per the request of the Public Works Department. Each street requiring ditch work will be to the Contractor with a set of plans defining the drainage work to be completed and the area and limits of construction per the bid unit prices as designated in the Contractor's Bid Proposal. The Contractor shall warrant the drainage improvements for labor and materials from date of completion and final acceptance by the Owner. The Contractor shall have a License in Highway, Street and Bridge Construction.

All work shall be in accordance with these Specifications, the Contract Documents and the included Special and General Conditions. This project is being financed by St. John the Baptist Parish.

II. PERMITS AND PRECAUTIONS:

- A. **Permits:** The Parish will have the plans approved by the Louisiana State Department of Health and the Louisiana State Department of Transportation and Development (DOTD). The Contractor will be responsible for conforming with the requirements of these approvals.
- B. **Underground Utilities and Obstructions:** It is the Contractor's responsibility to locate any underground utilities or obstructions and not damage them. He shall be responsible for any damage done.
- C. **Flow Drains, Water Mains, Gas lines, cables, Etc.:** Adequate provisions shall be made for existing drain lines, water mains, gas lines, telephone cables, etc., encountered during construction and the structures which may have been disturbed shall be satisfactorily restored upon completion of the work.
- D. **Property Protection and Traffic Controls:** Trees, fences, shrubbery, poles and all other property on adjoining private property shall be protected unless their removal is authorized and any property shall be restored by the Contractor.

Excavations and street preparations shall be conducted in a manner to cause the least interruption to traffic. Where traffic must cross open trenches, the contractor shall provide suitable bridges. All barricades and construction signs will be placed in accordance with the requirements as set forth in the Louisiana Department of Highway Specifications as last revised. The State required signs shall be placed along STATE Highways in accordance with DOTD Specifications and locations designating "Begin" Construction and "End" Construction at all project locations where a Parish street intersects a State highway.

III. GRADING AND EARTHWORK:

A. General: Those street ditches requiring excavation shall be dug to the required elevation and designated slope to promote the drainage flow as designed. Excess digging or excavation resulting in ponding shall be refilled and re-excavated to the required slope. All unused spoils shall be loaded and transported to such nearby areas determined by the Parish. Excavation of cut areas shall continue until these areas conform with the lines, grades, slopes, and vertical cross sections shown on the plans. Placing, spreading, filling, and compacting areas to be filled also shall be continued alternately until these areas conform with the lines, grades, slopes, and typical cross sections shown on the accepted plans.

This work shall be done in accordance with the requirements of Section 200 of the Standard Specifications for Road and Bridge Construction of the State of Louisiana Department of Transportation.

B. Weather Conditions: No fill shall be placed, spread, or rolled during unfavorable weather conditions. When the work is interrupted by heavy rain, fill operations shall not be resumed until the moisture content and density of the fill material meet the required specifications.

IV. DRAINAGE CULVERT PIPE (INSTALLED):

- A. **Corrugated Metal Pipe:** Metal pipe shall be 14 gauge corrugated galvanized steel pipe. The pipe shall be coated with a bituminous tar to prevent corrosion, all in accordance with the Louisiana Standard Specifications for Roads and Bridges as last revised. Pipe shall be joined with coupling bands. Pipe shall be joined with coupling bands. Pipe shall be round or arched, as required, with a minimum of 2-2/3 x 1/2 corrugations.
- B. **Ribbed Polyvinyl Chloride Pipe:** Ribbed Polyvinyl Chloride culvert pipe shall comply with ASTM F 794 or ASTM F 949 Series 46 with UV inhibitors or AASHTO M 304 minimum pipe stiffness 46. The resin shall have a minimum cell classification of 12454-C in accordance with ASTM D 1784, all in accordance with the Louisiana Standard Specifications for Roads and Bridges as last revised. The pipe shall be Contech A-2000 or an approved equal.
- C. **Corrugated Polyethylene Culvert Pipe (Double Wall):** Corrugated Polyethylene Culvert Pipe (Double Wall) shall comply with AASHTO M 294, Type S and the minimum cell classification shall be 335420C in accordance with ASTM D 3350, all in accordance with the Louisiana Standard Specification for Roads and Bridges as last revised.
- D. **Reinforced Concrete Pipe (RCP):** Precast Concrete Pipe shall conform to the requirements of ASTM 76 for non-pressured pipe, ASTM C 361 for low head pipes or ASTM C 507 for elliptical pipe latest revisions. Cement shall be Type II Modified Portland Cement complying with the requirements of ASTM C 150. The joint design for concrete pipe shall be bell and spigot with a rubber gasket for sealing the joint. The rubber gasket shall conform to the requirements of ASTM 361 for ease of slip-in installation and sealed joints.
- E. **Inlet Risers:** All inlet risers shall be "Tee" sections fabricated of the same material as the in-line culvert pipe with the horizontal section being the same diameter and integrated into the in-line culvert pipe. The riser section shall have a minimum diameter of 14-inches and placed level with the ground surface with a fitted cast iron grate to allow drainage flow in accordance with the slopes and sections as shown on the plans.
- F. **Installation of Culverts:**
1. Ditch where pipe is to be laid shall be filled or shaped to required grades according to plans. Any pipe that is not in true alignment or which shows any settlement after laying, shall be taken up and re-laid without additional compensation.
 2. Pipe shall not be laid on blocks or timbers or on other unyielding materials, except where the use of such devices may be called for in the plans.

- G. **Slopes:** The slope shall be constructed in accordance with the cross section details shown on the construction plans.
- H. **Backfilling:** The ditch shall be filled with a compatible material to the existing fill materials as approved by the Engineer. The ditch shall be filled and compacted, and made to conform to the slopes shown on the construction plans. Trash shall not be allowed to accumulate in spaces to be backfilled and this space shall be well cleared before backfilling. Backfill material shall be hauled in either by the Contractor or the Parish in accordance with bid proposal. The material shall be placed over the drainage facilities, compacted and then graded so as not to damage the newly installed culvert and catch basin. Sand shall be uniformly spread over the top 4-inches of the trench for the entire length and width of the cut area.

V. CATCH BASIN (CONCRETE):

The concrete catch basins shall be constructed in accordance with the lines, dimensions, and cross sections as shown on the construction plans. The concrete will conform to requirements as set forth in Section VI of these specifications. A 24-inch square cast-iron grate shall be placed as openings, centered as shown on the construction plans. Use Vulcan VFG Series, Neenah, or an approved equal.

Prefabricated basins, as approved by the Design Engineer, shall be acceptable providing each fabricated basin meets or exceeds the approved concrete requirements and is constructed to the lines and dimensions designed for each placement location. All steel reinforcement shall meet or exceed the ACI Code requirements and as shown on the plan details. Concrete masonry block units may be used, if approved by the Engineer, for finished leveling in required locations. The use of a masonry block unit shall be mortar joints with a high strength mortar for a strong bond with no cracking. All basins shall be installed in accordance with the lines, slopes, and excavated ditch sections shown on the plans. All basins shall be placed to meet the alignment of the culverts as installed along the sloped ditch inverts.

VI. CONCRETE:

- A. **Material and Mix:** All materials used for concrete, and the design of all concrete mixes, shall conform with the recommendations of the American Concrete Institute (ACI 613-54). All concrete shall develop a 28-day compressive strength of 3000 psi. The Contractor shall pay for the services of and independent testing laboratory, approved by the Engineer, to design the mixes, take samples and test all concrete poured. If any concrete should fail to meet the strength requirements, the structure shall be removed as necessary to remove the defective concrete and shall then be rebuilt.
- B. **Forms:** Construct all forms accurately to the dimensions and lines shown on the construction plans and braced so as not to yield. All forms for contact with concrete that will be exposed to view after completion shall have a smooth, dense surface (i.e. such as tempered Masonite) without any holes or imperfections. The alignment of the forms shall be checked frequently during the placing of concrete until the proper alignment is restored.
- C. **Reinforcement:** Bars shall be of intermediate grade steel in accordance with ASTM. Designation A-305-50T. Welded wire mesh shall conform to ASTM A-185.

All reinforcement shall be fabricated and placed in accordance with ACI 308-63. Welded wire mesh shall be lapped 6-inches at all edges.

The Engineer shall be notified at least 24 hours before the pouring of any concrete is to be started, and such pouring shall not be started until reinforcement has been approved as placed.

- D. **Placing and Finishing:** The mixing, placing, and finishing of the concrete shall comply with ACI 614-59. All exposed concrete shall be given a hard steel troweled finish with no trowel marks remaining. No cement shall be dusted on the surface. All concrete shall be cured by coating with an approved curing membrane, or by keeping it wet for at least three (3) days after pouring. After the forms are stripped, all exposed formed-surfaces of concrete shall be pointed as needed and rubbed to a uniform finish.

VII. DRIVEWAY AND STREET SECTION REMOVAL & REPLACEMENT:

- A. **General:** All driveway and street sections requiring culverts removal and replacement shall be uniformly saw-cut for the construction process. The concrete or asphalt surface shall be mechanically sawed with a rotating saw blade designed for cutting of these surfaces. The cut shall be pre-marked in straight lines for a uniform and acceptable finish. Jagged or serrated edges or misaligned out-of-square lines will not be acceptable. All cuts shall be true square smooth cuts acceptable for a new re-poured surface finish. All re-poured sections shall be of the like material (concrete or asphalt) as existed prior to removal. The finish shall meet the finish of the existing surface.
- B. **Driveways:** Concrete, asphalt or aggregate driveways shall be saw cut, as required, and excavated for removal of an existing culvert, as required, and installation of a new designed culvert in alignment with the adjoining ditch sections. The culvert shall be covered with select fill material and a finished sand or limestone top layer as shown on the plans and compacted to a 95% maximum density. The finished surface of the driveway shall match the existing surface (concrete, asphalt or aggregate) and constructed in a smooth surface transition from surface to surface and acceptable by the Engineer. All concrete surfaces shall be doweled with steel smooth rods (min. 3/8-inch dia.) at minimum 12-inch centers for bonding and removal of all possible vertical misalignment of surfaces. Dowels shall be inserted to a depth and minimum of 6-inches in each of the new and existing surfaces. Existing surfaces shall be masonry drilled.
- C. **Street Sections:** Concrete or asphalt street sections shall be uniformly saw cut for removal of the street section and excavated, as required, for removal of an existing culvert and replacement of a new designed culvert or installation of a proposed new culvert for cross drainage from ditch to ditch. The culvert, upon completion of installation, shall be covered with select fill and compacted in 6-inch layers to meet a compacted density of 95% maximum density. The final 12-inch layer of fill shall be limestone (See Section IX of these specifications) which will allow for a finish compacted layer of either 8-inch concrete or asphalt to match the existing surface. Concrete shall match the concrete mixture of Section VI of these specifications. All concrete surfaces shall be doweled with steel smooth rods (min. 5/8 – inch dia.) at a minimum 12-inch centers for bonding and removal of all possible vertical misalignment of surfaces. Dowels shall be inserted a minimum of 12-inches in each of the new and existing surfaces. Existing surfaces shall be masonry drilled. All asphalt surfaces shall be repaved in accordance with Section VIII. of these specifications with a smoothed rolled and compacted surface transition from the existing to the newly paved section.
- D. All paving shall be in accordance with Sections 701, 702, 703, and 706 of the 2016 Edition of the Louisiana State Department of Highways Standard Specifications for Road and Bridge Construction.

VIII. ASPHALT PAVING:

A. **General:** The Contractor shall furnish all labor, equipment, materials, etc. to bring the designated projects to a satisfactory completion in a workmanlike manner. The Contractor shall pave and apply the asphalt with self-propelled paving equipment with heated screed. One or more courses which could be base, binder or wearing courses ranging from 1 inch to 4 inches shall be applied on prepared foundations and shall conform with the requirements established by the latest Louisiana Department of Highways "Standard Specifications for Roads and Bridges" or any revisions thereto.

B. Tack Coat:

1. **General:** This item shall consist of application of bitumen tack coat. The material and construction methods shall conform to the requirements of the Louisiana State Department of Transportation Standards for Road and Bridge Construction as last revised: (Section 504).
2. **Material:** Asphalt tack coat shall meet the requirements of AASHTO standard specifications for RC-70, material or RC-250 or emulsified asphalt, Grade SS-1H or CSS-1H as the Contractor elects.
3. **Construction Methods:** The base to be treated shall be thoroughly compacted true to line, grade and cross section as shown on the accepted drawing and swept or otherwise cleaned of all dust, mud, and foreign material.

The bitumen shall be applied with a power distributor at a temperature of 70 degrees Fahrenheit or manufacturer's recommendation.

The tack coat shall be applied at a rate in accordance with table 504-1 of the LADOTD Standard Specifications 2016 Edition. Traffic shall not be permitted on the tacked base until the bitumen has penetrated, dried and will not pick up under traffic.

C. Plant Mix Asphaltic Base and Wearing Course:

1. **General:** This item shall consist of base and wearing surface, constructed of asphaltic concrete on a prepared subbase in accordance with the plans and Specifications and conform to the Louisiana Department of Highways Standard Specifications.

2. Materials: The materials shall comply with those set forth Section 502 for a level A-1 Asphaltic Concrete as designated 2016 Edition of the Louisiana State Department of Highways Standard Specifications Road and Bridge Construction. The asphaltic cement shall meet the requirements of AASHTO Specifications. Penetration grade of 64-22 or see revised penetration grade that complies with State Specifications.
3. Job-Mix Formula: The Marshall method of testing will be used in establishing the job mix formula and for control testing throughout the work. Compaction of the test specimen shall be done with seventy-five (75) blows on both the bottom and top of the specimens. Stability shall be not less than twelve hundred (1200) and flow shall be maximum of sixteen (16). The density of field samples shall be not less than ninety-five percent (95%) of the Marshall Laboratory compacted mixture composed of the same materials in like proportion.
4. Thickness: For total repaving areas, the thickness for the base course and the wearing course shall be each a single layer for a depth ranging from 1 inch to 4 inches in accordance with the sections shown on the Construction Plans.

D. Testing:

All required tests on materials shall be the responsibility of the Contractor and the test results furnished to the Engineer at the time of delivery to the jobsite. All asphalt mixes shall be approved by the Project Engineer prior to paving. Contractor shall have a State approved testing lab technician at the mix plant during all paving operations. The lab technician shall approve and submit in writing as proof that the approved mix is being supplied for these paving operations.

IX. LIMESTONE:

The limestone for driveway patching, or base work shall be 610 Limestone aggregate per ASTM Specifications and shall be spread and compacted in accordance with Section 401 of the Louisiana Department of Transportation and Development Specifications. The Material shall be spread uniformly and graded to the thickness and widths as shown on the Construction Plans. The thickness shown on the plans are loose vehicle measurements (L.V.M.). Compaction will be completed by use of a light roller or rubber tire vehicle.

X. FILL MATERIAL (ROADBED & DRIVEWAYS):

A. Fill for Roadbeds:

The soil to be placed on roadbeds as fill for stabilization shall have a PI of 25 or less, a liquid limit of less than 35, an organic content of less than 2 percent, sand of less than 79 percent and a maximum silt content of 60 percent. The material for roadbed base stabilization shall be in accordance with Section 302 of the Louisiana Standard Specifications for Roads and Bridges. The material shall be loose vehicle measure (LVM) for bidding and placement.

B. Fill for Driveways:

Fill material for driveways shall be A-4 or better in accordance with DOTD TR 423. The soil shall have a PI greater than 20 and less than 35, a maximum liquid limit of 35 and an organic content less than 5 percent. The fill material shall have a maximum silt content of 65 percent. The fill material for driveways shall be selected and placed in accordance with Section 203 of the Louisiana Standard Specifications for Roads and Bridges (2000 Edition). The material shall be loose vehicle measure (LVM) for bidding and placement.

XI. MANHOLE AND VALVE COVERS:

- A. Manhole Covers:** Manhole covers shall be raised or lowered to conform with the lines and grades of the proposed finished surfaces. Manhole covers shall be raised by the addition of cast iron adjustment rings that integrally attach to the existing ring. To lower a cover, the asphalt shall be excavated around the manhole and either the existing ring or new ring shall be reset to meet the finish grade. The excavated area around the manhole shall be replaced with 3,000 psi concrete. These shall be a smooth transition with the edge of the manhole ring and the finished asphalt surface, not allowing for movement of the manhole cover from normal traffic.
- B. Valve Covers:** All water and gas valves shall be raised or lowered to meet the finished grade. The appropriate utility shall be contacted prior to raising or lowering a valve. Should the utility company wish to lower their respective valve cover, then ample notice shall be given to the utility prior to paving in order to complete the adjustment of the covers.

XII. CLEAN-UP:

Before final inspection and acceptance, the Contractor shall clean ditches, shape shoulders and restore all disturbed areas including street crossings, grass plots to as good a condition as existed before work started. All trenches shall be leveled and loose material removed from pavement, gutters, and sidewalks, employing hand labor if necessary.

XIII. BASIS OF PAYMENT:

Payment for each completed project shall be based on the Unit Price per each item in accordance with the Contractor's bid proposal and the Purchase Order submitted by the Parish to the Contractor. Careful estimates of the proposed quantities per the unit prices required to complete the drainage work shall be submitted to the Parish for a Purchase Order to be prepared for each designated project. The Contractor shall complete the work in accordance with the set bid Unit Price cost figures for labor and equipment. The Contractor shall be paid according to the total actual quantities per unit cost figures. If the Contractor is completing the project and the total cost exceeds the Purchase Order amount, then the Contractor shall notify the Parish prior to the completion of the project.

The Contractor shall submit all partial pay invoices to the Public Works Department and upon approval by the Parish Consulting Engineer, pay request shall be submitted to St. John the Baptist Parish Finance Department and payment made within thirty (30) days.

The Contractor shall warrant this project in writing against all defective materials and workmanship from the date of completion and final acceptance by the Owner.

Ten percent (10%) shall be retained on all partial pay estimates for projects less than \$500,000.00 in cost and five percent (5%) for projects greater than \$500,000.00 in cost for construction in accordance with these plans and specifications. If all items are completed in accordance with these plans and specifications, a substantial completion shall be accepted by St. John the Baptist Parish and recorded with the Clerk of Court in the Parish where the work was performed. Upon approval of the substantial completion by St. John the Baptist Parish, a five percent (5%) retainage of the total contract price shall be withheld. The remaining five percent (5%) will be paid within forty-five (45) calendar days after final acceptance of the job by the Parish Consulting Engineer and provided that all liens and other encumbrances have been shown in writing to be free and clear, to the satisfaction of the Owner.

LOUISIANA UNIFORM PUBLIC WORK BID FORM

TO: St. John the Baptist Parish BID FOR: St. John the Baptist Parish
1811 W. Airline Highway 2020 Parishwide Street Ditch Drainage Improvements
LaPlace, La. 70068
(Owner to provide name and address of owner) *(Owner to provide name of project and other identifying information)*

The undersigned bidder hereby declares and represents that she/he; a) has carefully examined and understands the Bidding Documents, b) has not received, relied on, or based his bid on any verbal instructions contrary to the Bidding Documents or any addenda, c) has personally inspected and is familiar with the project site, and hereby proposes to provide all labor, materials, tools, appliances and facilities as required to perform, in a workmanlike manner, all work and services for the construction and completion of the referenced project, all in strict accordance with the Bidding Documents prepared by:

C.J. Savoie Consulting Engineers, Inc. and dated: July 2020
(Owner to provide name of entity preparing bidding documents.)

Bidders must acknowledge all addenda. The Bidder acknowledges receipt of the following **ADDENDA**: (Enter the number the Designer has assigned to each of the addenda that the Bidder is acknowledging) _____.

TOTAL BASE BID: For all work required by the Bidding Documents (including any and all unit prices designated "Base Bid" * but not alternates) the sum of:

_____ Dollars (\$ _____)

ALTERNATES: For any and all work required by the Bidding Documents for Alternates including any and all unit prices designated as alternates in the unit price description.

Alternate No. 1: *(Owner to provide description of alternate and state whether add or deduct)* for the lump sum of:

_____ N/A Dollars (\$ N/A _____)

Alternate No. 2: *(Owner to provide description of alternate and state whether add or deduct)* for the lump sum of:

_____ N/A Dollars (\$ N/A _____)

Alternate No. 3: *(Owner to provide description of alternate and state whether add or deduct)* for the lump sum of:

_____ N/A Dollars (\$ N/A _____)

NAME OF BIDDER: _____

ADDRESS OF BIDDER: _____

LOUISIANA CONTRACTOR'S LICENSE NUMBER: _____

NAME OF AUTHORIZED SIGNATORY OF BIDDER: _____

TITLE OF AUTHORIZED SIGNATORY OF BIDDER: _____

SIGNATURE OF AUTHORIZED SIGNATORY OF BIDDER:** _____

DATE: _____

THE FOLLOWING ITEMS ARE TO BE INCLUDED WITH THE SUBMISSION OF THIS LOUISIANA UNIFORM PUBLIC WORK BID FORM:

* The Unit Price Form shall be used if the contract includes unit prices. Otherwise it is not required and need not be included with the form. The number of unit prices that may be included is not limited and additional sheets may be included if needed.

** **A CORPORATE RESOLUTION OR WRITTEN EVIDENCE** of the authority of the person signing the bid for the public work as prescribed by LA R.S. 38:2212(B)(5).

BID SECURITY in the form of a bid bond, certified check or cashier's check as prescribed by LA R.S. 38:2218(A) attached to and made a part of this bid.

LOUISIANA UNIFORM PUBLIC WORK BID FORM

UNIT PRICE FORM

TO: St. John the Baptist Parish
 1811 W. Airline Highway
 LaPlace, Louisiana 70068

BID FOR: St. John the Baptist Parish
 2020 Parishwide Street Ditch Drainage Improvements

(Owner to provide name and address of owner)

(Owner to provide name of project and other identifying information)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices. Amounts shall be stated in figures and only in figures.

DESCRIPTION:	✓ Base Bid or <input type="checkbox"/> Alt.#	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
I.	1,000	LF	\$ _____ /LF	\$ _____

DESCRIPTION:	✓ Base Bid or <input type="checkbox"/> Alt.#	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
II.	1,000	LF	\$ _____ /LF	\$ _____

DESCRIPTION:	✓ Base Bid or <input type="checkbox"/> Alt.#	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
III.	1,000	LF	\$ _____ /LF	\$ _____

DESCRIPTION:	✓ Base Bid or <input type="checkbox"/> Alt.#	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
IV.	100	LF	\$ _____ /LF	\$ _____

DESCRIPTION:	✓ Base Bid or <input type="checkbox"/> Alt.#	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
V.	1,000	LF	\$ _____ /LF	\$ _____

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.# <u>24" RIBBED PVC PIPE</u>			UNIT PRICE EXTENSION (Quantity times Unit Price)
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	
VI.	1,000	LF	\$ _____ /LF	\$ _____

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.# <u>24" CORRUGATED P.E. PIPE</u>			UNIT PRICE EXTENSION (Quantity times Unit Price)
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	
VII.	1,000	LF	\$ _____ /LF	\$ _____

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.# <u>ARCHED METAL PIPE</u>			UNIT PRICE EXTENSION (Quantity times Unit Price)
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	
VIII.	100	LF	\$ _____ /LF	\$ _____

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.# <u>30" CORRUGATED METAL PIPE</u>			UNIT PRICE EXTENSION (Quantity times Unit Price)
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	
IX.	1,000	LF	\$ _____ /LF	\$ _____

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.# <u>30" RIBBED PVC PIPE</u>			UNIT PRICE EXTENSION (Quantity times Unit Price)
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	
X.	1,000	LF	\$ _____ /LF	\$ _____

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.# <u>30" CORRUGATED P.E. PIPE</u>			UNIT PRICE EXTENSION (Quantity times Unit Price)
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	
XI.	1,000	LF	\$ _____ /LF	\$ _____

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.# <u>30" REINFORCED CONCRETE PIPE</u>			UNIT PRICE EXTENSION (Quantity times Unit Price)
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	
XII.	100	LF	\$ _____ /LF	\$ _____

DESCRIPTION:	✓ Base Bid or <input type="checkbox"/> Alt.# 36" CORRUGATED METAL PIPE		
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE EXTENSION (Quantity times Unit Price)
XIII.	1,000	LF	\$ _____ /LF

DESCRIPTION:	✓ Base Bid or <input type="checkbox"/> Alt.# 36" RIBBED PVC PIPE		
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE EXTENSION (Quantity times Unit Price)
XIV.	1,000	LF	\$ _____ /LF

DESCRIPTION:	✓ Base Bid or <input type="checkbox"/> Alt.# 36" CORRUGATED P.E. PIPE		
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE EXTENSION (Quantity times Unit Price)
XV.	1,000	LF	\$ _____ /LF

DESCRIPTION:	✓ Base Bid or <input type="checkbox"/> Alt.# 36" REINFORCED CONCRETE PIPE		
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE EXTENSION (Quantity times Unit Price)
XVI.	100	LF	\$ _____ /LF

DESCRIPTION:	✓ Base Bid or <input type="checkbox"/> Alt.# 42" CORRUGATED METAL PIPE		
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE EXTENSION (Quantity times Unit Price)
XVII.	1,000	LF	\$ _____ /LF

DESCRIPTION:	✓ Base Bid or <input type="checkbox"/> Alt.# 42" RIBBED PVC PIPE		
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE EXTENSION (Quantity times Unit Price)
XVIII.	1,000	LF	\$ _____ /LF

DESCRIPTION:	✓ Base Bid or <input type="checkbox"/> Alt.# 42" CORRUGATED P.E. PIPE		
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE EXTENSION (Quantity times Unit Price)
XIX.	1,000	LF	\$ _____ /LF

DESCRIPTION:	✓ Base Bid or <input type="checkbox"/> Alt.# <u>42</u> " REINFORCED CONCRETE PIPE		
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE EXTENSION (Quantity times Unit Price)
XX.	100	LF	\$ _____ /LF
			\$ _____

DESCRIPTION:	✓ Base Bid or <input type="checkbox"/> Alt.# <u>48</u> " CORRUGATED METAL PIPE		
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE EXTENSION (Quantity times Unit Price)
XXI.	100	LF	\$ _____ /LF
			\$ _____

DESCRIPTION:	✓ Base Bid or <input type="checkbox"/> Alt.# <u>48</u> " RIBBED PVC PIPE		
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE EXTENSION (Quantity times Unit Price)
XXII.	100	LF	\$ _____ /LF
			\$ _____

DESCRIPTION:	✓ Base Bid or <input type="checkbox"/> Alt.# <u>48</u> " CORRUGATED P.E. PIPE		
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE EXTENSION (Quantity times Unit Price)
XXIII.	100	LF	\$ _____ /LF
			\$ _____

DESCRIPTION:	✓ Base Bid or <input type="checkbox"/> Alt.# <u>18</u> " TEE RISER & GRATE		
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE EXTENSION (Quantity times Unit Price)
XXIV.	100	EA	\$ _____ /EA
			\$ _____

DESCRIPTION:	✓ Base Bid or <input type="checkbox"/> Alt.# <u>CONCRETE BASIN 2 FT DEPTH</u>		
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE EXTENSION (Quantity times Unit Price)
XXV.	20	EA	\$ _____ /EA
			\$ _____

DESCRIPTION:	✓ Base Bid or <input type="checkbox"/> Alt.# <u>CONCRETE BASIN 3 FT DEPTH</u>		
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE EXTENSION (Quantity times Unit Price)
XXVI.	20	EA	\$ _____ /EA
			\$ _____

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.#	CONCRETE BASIN 4 FT DEPTH			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
XXVII.	20	EA	\$ _____ /EA	\$ _____	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.#	CONCRETE BASIN 5 FT DEPTH			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
XXVIII.	20	EA	\$ _____ /EA	\$ _____	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.#	CONCRETE BASIN 6 FT DEPTH			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
XXIX.	20	EA	\$ _____ /EA	\$ _____	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.#	CONCRETE BASIN 7 FT DEPTH			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
XXX.	10	EA	\$ _____ /EA	\$ _____	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.#	CONCRETE BASIN 8 FT DEPTH			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
XXXI.	10	EA	\$ _____ /EA	\$ _____	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.#	0-2' DEPTH DITCH			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
XXXII.	1,000	LF	\$ _____ /LF	\$ _____	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.#	2'-4' DEPTH DITCH			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
XXXIII.	1,000	LF	\$ _____ /LF	\$ _____	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.#	4'-6' DEPTH DITCH			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
XXXIV.	1,000	LF	\$ _____ /LF	\$ _____	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.#	6'-8' DEPTH DITCH			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
XXXV.	1,000	LF	\$ _____ /LF	\$ _____	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.#	SAW-CUT ASPHALT DRIVE			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
XXXVI.	100	LF	\$ _____ /LF	\$ _____	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.#	SAW-CUT CONCRETE DRIVE			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
XXXVII.	100	LF	\$ _____ /LF	\$ _____	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.#	SAW-CUT ASPHALT STREET			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
XXXVIII.	100	LF	\$ _____ /LF	\$ _____	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.#	SAW-CUT CONCRETE STREET			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
XXXIX.	100	LF	\$ _____ /LF	\$ _____	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.#	STREET EXCAVATION 0-4' DEPTH			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
XL.	100	LF	\$ _____ /LF	\$ _____	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.#	STREET EXCAVATION 0-6' DEPTH	
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE EXTENSION (Quantity times Unit Price)
XL.I.	100	LF	\$ _____ /LF

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.#	4" CONCRETE PAVING	
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE EXTENSION (Quantity times Unit Price)
XL.II.	100	SY	\$ _____ /SY

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.#	6" CONCRETE PAVING	
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE EXTENSION (Quantity times Unit Price)
XL.III.	100	SY	\$ _____ /SY

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.#	2" ASPHALT PAVING	
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE EXTENSION (Quantity times Unit Price)
XL.IV.	100	SY	\$ _____ /SY

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.#	4" ASPHALT PAVING	
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE EXTENSION (Quantity times Unit Price)
XL.V.	100	SY	\$ _____ /SY

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.#	6" ASPHALT PAVING	
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE EXTENSION (Quantity times Unit Price)
XL.VI.	100	SY	\$ _____ /SY

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.#	SELECT FILL	
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE EXTENSION (Quantity times Unit Price)
XL.VII.	100	CY	\$ _____ /CY

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.#	LIMESTONE	UNIT PRICE EXTENSION (Quantity times Unit Price)
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE
XLVIII.	100	CY	\$ _____ /CY
			\$ _____

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.#	GRADING 4' AVERAGE	UNIT PRICE EXTENSION (Quantity times Unit Price)
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE
XLIX.	1,000	LF	\$ _____ /LF
			\$ _____

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.#	SIGNS AND BARRICADES	UNIT PRICE EXTENSION (Quantity times Unit Price)
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE
L.	10	STREETS	\$ _____ /ST.
			\$ _____

Wording for "DESCRIPTION" is to be provided by the Owner.
 All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner.

ATTESTATIONS AFFIDAVIT

NAME OF PROJECT

Before me, the undersigned notary public, duly commissioned and qualified in and for the parish and state aforesaid, personally came and appeared Affiant, who after being duly sworn, attested as follows:

LA R.S. 38:2227 PAST CRIMINAL CONVICTIONS OF BIDDERS

A. No sole proprietor or individual partner, incorporator, director, manager, officer, organizer, or member who has a minimum of a ten percent (10%) ownership in the bidding entity named below has been convicted of, or has entered a plea of guilty or nolo contendere to any of the following state crimes or equivalent federal crimes:

- | | |
|---------------------------------------|------------------------------------|
| (a) Public bribery (R.S. 14:118) | (c) Extortion (R.S. 14:66) |
| (b) Corrupt influencing (R.S. 14:120) | (d) Money laundering (R.S. 14:230) |

B. Within the past five years from the project bid date, no sole proprietor or individual partner, incorporator, director, manager, officer, organizer, or member who has a minimum of a ten percent (10%) ownership in the bidding entity named below has been convicted of, or has entered a plea of guilty or nolo contendere to any of the following state crimes or equivalent federal crimes, during the solicitation or execution of a contract or bid awarded pursuant to the provisions of Chapter 10 of Title 38 of the Louisiana Revised Statutes:

- | | |
|--|--|
| (a) Theft (R.S. 14:67) | (f) Bank fraud (R.S. 14:71.1) |
| (b) Identity Theft (R.S. 14:67.16) | (g) Forgery (R.S. 14:72) |
| (c) Theft of a business record
(R.S.14:67.20) | (h) Contractors; misapplication of
payments (R.S. 14:202) |
| (d) False accounting (R.S. 14:70) | (i) Malfeasance in office (R.S. 14:134) |
| (e) Issuing worthless checks
(R.S. 14:71) | |

LA R.S. 38:2212.10 VERIFICATION OF EMPLOYEES

A. Appearer is registered and participates in a status verification system to verify that all employees in the state of Louisiana are legal citizens of the United States or are legal aliens.

B. If awarded the contract, Appearer shall continue, during the term of the contract, to utilize a status verification system to verify the legal status of all new employees in the state of Louisiana.

C. If awarded the contract, Appearer shall require all subcontractors to submit to it a sworn affidavit verifying compliance with Paragraphs (A) and (B) of this Subsection.

SAINT JOHN THE BAPTIST PARISH NON-SOLICITATION AND UNEMPLOYMENT AFFIDAVIT

(Pursuant to La. R.S. 38:2224 and La. R.S. 23:1726(B))

STATE OF _____

PARISH/COUNTY OF _____

Before me, the undersigned authority, came and appeared,

I, _____, the owner/authorized representative of

Company/Individual/LegalEntity Name

who, being first duly sworn, deposed and state that I personally and as an authorized representative of the above identified legal person executes this continuing affidavit stating that neither the above named Contractor nor a person acting on its behalf, either directly or indirectly, employed, paid, nor promised any gift, consideration or commission to any person or legal entity to procure or assist in procuring this public contract, other than persons regularly employed by Contractor whose services were in the regular course of their duties for Contractor in connection with the construction, alteration or demolition of a public building or project.

The above named Contractor, if awarded, continually affirms that no part of the contract price received by Contractor was paid or will be paid to any person, corporation, firm, association, or other organization for soliciting the contract, other than the payment of their normal compensation to persons regularly employed by the affiant whose services were in the regular course of their duties for Contractor.

The above named Contractor hereby attests and certifies that it does not have any unpaid assessment or penalty levied against it regarding unemployment compensation and currently does and will continue to properly classify each employee. Contractor verifies that Contractor will collect an affidavit in this form from any approved subcontractor and forward a copy to: Saint John the Baptist Parish, 1811 West Airline Hwy, LaPlace, Louisiana 70068, no later than five business days after contracting with its subcontractor; however, in no instance shall the affidavit be received after commencement of work by the subcontractor.

<p>_____ Signature of Authorized Signatory</p> <p>_____ Printed Name of Signatory</p> <p>_____ Title of Authorized Signatory</p> <p>_____ Project Name/Number</p>	<p>SUBSCRIBED AND SWORN BEFORE ME ON THIS _____ DAY OF _____ 2020.</p> <p>_____ Notary Signature</p> <p>Printed Notary Name: _____</p> <p>Notary/Bar Roll Number: _____</p> <p>My Commission is for/expires on: _____</p>
---	---

CORPORATE RESOLUTION OF:

We, the undersigned, being all the directors of this corporation consent and agree that the following corporate resolution was made

on _____ date

at _____ time

at _____ location

We do hereby consent to the adoption of the following as if it was adopted at a regularly called meeting of the board of directors of this corporation. In accordance with State law and the bylaws of this corporation, by unanimous consent, the board of directors decided that:

Therefore, it is resolved, that the corporation shall:

The officers of this corporation are authorized to perform the acts to carry out this corporate resolution.

Director signature

Printed name

Date

Director signature

Printed name

Date

Director signature

Printed name

Date

The Secretary of the Corporation, certifies that the above is a true and correct copy of the resolution that was duly adopted at a meeting of the dated meeting of the board of directors.

Signature of Secretary

Date

Printed name of Secretary



Certification Regarding

Debarment, Suspension, and Other Responsibility Matters
Primary Covered Transactions

This certification is required by the regulations implementing Executive Order 12549, Debarment and Suspension, 13 CFR Part 145. The regulations were published as Part VII of the May 26, 1988 *Federal Register* (pages 19160-19211). Copies of the regulations are available from local offices of the U.S. Small Business Administration.

(BEFORE COMPLETING CERTIFICATION, READ INSTRUCTIONS ON REVERSE)

- (1) The prospective primary participant certifies to the best of its knowledge and belief that it and its principals:
- (a) Are not presently debarred, suspended, proposed for disbarment, declared ineligible, or
Voluntarily excluded from covered transactions by any Federal department or agency;
 - (b) Have not within a three-year period preceding this application been convicted of or had a civil judgment rendered against them for commission of fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a public (Federal, State, or local) transaction or contract under a public transaction; violation of Federal or State antitrust statutes or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements, or receiving stolen property;
 - (c) Are not presently indicted for or otherwise criminally or civilly charged by a governmental entity (Federal, State, or local) with commission of any of the offenses enumerated in paragraph (1)(b) of this certification; and
 - (d) Have not within a three-year period preceding this application had one or more public transactions (Federal, State, or local) Terminated for cause of default.
- (2) Where the Prospective primary participant is unable to certify to any of the statements in this Certification, such prospective primary participant shall attach an explanation to this proposal

Business Name: _____

Date _____ By _____

Name and Title of Authorized Representative

Signature of Authorized Representative

INSTRUCTIONS FOR CERTIFICATION

1. By signing and submitting this proposal, the prospective primary participant is providing the certification set out below.
2. The inability of a person to provide the certification required below will not necessarily result in denial participation in this covered transaction. The prospective participant shall submit an explanation of why it cannot provide the certification set out below. The certification or explanation will be considered in connection with the department or agency's determination whether to enter into this transaction. However, failure of the Prospective primary participant to furnish a certification or an explanation shall disqualify such person from participation in this transaction.
3. The certification in this clause is a material representation of fact upon which reliance was placed when the department or agency determined to enter into this transaction. If it is later determined that the prospective primary participant knowingly rendered an erroneous certification, in addition to other remedies available to the Federal Government, the department or agency may terminate this transaction for cause or default.
4. The prospective primary participant shall provide immediate written notice to the department or agency to which this proposal is submitted if at any time the prospective primary participant learns that its certification was erroneous when submitted or has become erroneous by reason of changed circumstances.
5. The terms "covered transaction," "debarred," "suspended," "ineligible," "lower tier covered transaction," "participant," "person," "primary covered transaction," "principal," "proposal," and "voluntarily excluded," as used in this clause, have the meanings set out in the Definitions and Coverage sections of the rules implementing Executive Order 12549. You may contact the department or agency to which this proposal is submitted for assistance in obtaining a copy of those regulations (13 CFR Part 145).
6. The prospective primary participant agrees by submitting this proposal that, should the proposed covered transaction be entered into, it shall not knowingly enter into any lower tier covered transaction with a person who is debarred, suspended, declared ineligible, or voluntarily excluded from participation in this covered transaction, unless authorized by the department or agency entering into this transaction.
7. The prospective primary participant further agrees by submitting this proposal that it will include the clause titled "Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion--Lower Tier Covered transaction, provided by the department or agency entering into this covered transaction, without modification, in all lower tier covered transactions and in all solicitations for lower tier covered transactions.
8. A participant in a covered transaction may rely upon a certification of a prospective participant in a lower tier covered transaction that it is not debarred, suspended, ineligible, or voluntarily excluded from the covered transaction, unless it knows that the certification is erroneous. A participant may decide the method and frequency by which it determines the ineligibility of its principals. Each participant may, but is not required to check the Non-Procurement List
9. Nothing contained in the foregoing shall be construed to require establishment of a system of records in order to render in good faith the certification required by this clause. The knowledge and information of a participant is not required to exceed that which is normally possessed by a prudent person in the ordinary course of business dealings
10. Except for transactions authorized under paragraph 6 of these instructions, if a participant in a covered transaction knowingly enters into a lower tier covered transaction with a person who is suspended, debarred, ineligible, or voluntarily excluded from participation in this transaction, in addition to other remedies available to the Federal Government, the department or agency may terminate this transaction for cause or default.

CONTRACT

THIS AGREEMENT, made this ____ day of _____, 2020, by and between
St. John the Baptist Parish herein called "Owner," and _____
Parish of _____, and State of _____ Hereinafter Called "Contractor."

WITNESSETH: That for and in consideration of the payments and agreements hereinafter mentioned, to be made and performed by the OWNER, the CONTRACTOR hereby agrees with the OWNER to commence and complete the construction described as follows:

2020 PARISHWIDE STREET
DITCH DRAINAGE
IMPROVEMENTS

Hereinafter called the project, for the sum of _____ dollars (\$_____) and all Construction in connection therewith, under the terms as stated in the General and Special Conditions of the contract; and at his (hers or their) own proper cost and expense to furnish all labor, Supervisory Personnel, materials, supplies, machinery, equipment, tools, other accessories and all appurtenances necessary to complete the said project in accordance with the General Conditions, Special Conditions, Plans and all other required drawings for further explanation of matter thereof, all Contract Documents including Construction Specifications, Bid Proposal, and Addenda, as prepared by C. J. Savoie Consulting Engineers, Inc., herein entitled the Engineer, and as enumerated in SC.02 of the Special Conditions, all of which are made a part hereof and collectively evidence and constitute the contract.

The Contractor hereby agrees to commence work under this contract on or before a date to be specified in a written "Notice to Proceed" of the Owner to fully complete the project within 300 consecutive calendar days thereafter. The Contractor further agrees to pay, as liquidated damages, the sum of \$300.00 for each consecutive calendar day of delay until the work is satisfactorily completed.

The OWNER agrees to pay the CONTRACTOR in current funds for the performance of the contract, subject to additions and deductions, as provided in G-33 thru G-36, of the General Conditions and S-33 and S-34 of the Special Conditions.

IN WITNESS WHEREOF, the parties to these present have executed this contract in four (4) counterparts, each of which shall be deemed an original, in the year and day first above mentioned.

(Seal)
ATTEST:

St. John the Baptist Parish
(Owner)

By: _____
Signature

By: _____,
Jaclyn Hotard, President

Typed Name

Jaclyn Hotard
Typed Name

Title

President
Title

Witness

(Seal)

(Contractor)

(Secretary)

By _____

(Witness)

(Title)

Address and Zip Code

NOTE: Secretary of the Owner should attest. If Contractor is a corporation, secretary should attest.

CERTIFICATE OF OWNER'S ATTORNEY

I, the undersigned, _____, the duly
authorized and acting legal representative of

do hereby certify as follows:

I have examined the attached contract(s) and surety bonds and the manner of execution thereof, and I am of the opinion that each of the aforesaid agreements have been duly executed by the proper parties thereto acting through their duly authorized representatives, that said representatives have full power and authority to execute said agreements on behalf of the respective parties named thereon; and that the foregoing agreements constitute valid and legally binding obligations upon the parties executing the same in accordance with terms, conditions and provisions thereof.

SIGNATURE

TYPE OR PRINT NAME

DATE

SPECIAL CONDITIONS

SPECIAL CONDITIONS

I. SCOPE

Insurance, certificates, Contractor's insurance responsibility, Hold Harmless Agreement, license requirements, Commencement of Work, Time of Completion, Public Works or Utilities Department responsibility, Parish payment responsibility and Liens.

II. INSURANCE

Contractor shall obtain, pay for and keep in force, at its own expense, minimum insurance effective in all localities where Contractor may perform the work hereunder, with such carriers as shall be acceptable to Council:

- A) **Statutory Workman's Compensation** covering all state and local requirements and Employer's Liability Insurance covering all persons employed by Contractor in connection with this agreement.

The limits for "A" above shall be not less than:

- 1.) Employers liability limits of \$1,000,000/\$1,000,000/\$1,000,000
- 2.) Some contracts may require USL&H or maritime coverage. This should be checked out with Insurance Dept/Legal Dept.
- 3.) **WAIVER OF SUBROGATION in favor of St. John the Baptist Parish Council should be indicated on certificate.**
- 4.) No excluded classes of personnel or employees shall be allowed on Council's premises.

- B) **Commercial General Liability**, including:

- 1) Contractual liability assumed by this agreement
- 2) Owners and Contractor's Protective Liability (if Contractor is a General Contractor)
- 3) Personal and advertising liability
- 4) Completed operations
- 5) Medical payments

The limits for "B" above shall not be less than:

- 1) \$1,000,000 each occurrence limit
- 2) \$2,000,000 general aggregate limit other than products-completed operations
- 3) \$1,000,000 personal and advertising injury limit
- 4) \$1,000,000 products/completed operations aggregate limit
- 5) \$50,000 fire damage limit
- 6) \$5,000 medical expense limit (desirable but not mandatory)
- 7) \$1,000,000 CSL each occurrence WITH NO annual aggregate will be acceptable in lieu of 1 + 2 above. Must include BFCGL endorsement.

- 8) **St. John the Baptist Parish Council will be NAMED as additional insured and WAIVER OF SUBROGATION in favor of St. John the Baptist Parish Council should be indicated on certificate.**
- 9) Some contracts may require Protection and Indemnity coverage. This should be checked out with Insurance Dept./Legal Dept.

C) **Comprehensive Automobile Liability** covering all owned, hired and other non-owned vehicles of the Contractor.

The limits for "C" above shall not be less than:

- (1) \$1,000,000 CSL
- (2) **St. John the Baptist Parish Council will be NAMED as additional insured and WAIVER OF SUBROGATION in favor of St. John the Baptist Parish Council should be included on certificate.**

III. **CONTRACTORS INSURANCE RESPONSIBILITY**

The Contractor at his expense shall maintain adequate physical damage insurance in the amounts and against the perils desired by the Contractor on all items of Contractor's equipment including tools which are owned or rented by the Contractor or for which the Contractor is liable and which are not to remain as part of the permanent construction.

IV. **HOLD HARMLESS AGREEMENT**

To the fullest extent permitted by law, Contractor will indemnify and hold harmless the Parish and their agents and employees from and against all claims, damages, losses, and expenses including attorney's fees arising out of or resulting from the performance of the work, provided that any such claims, damage loss of expense is attributable to bodily injury, sickness, diseases, or death, or to injury to or destruction of tangible property including the loss of use resulting there from; and is caused in whole or in part by any negligent or willful act or omission of the Contractor, and subcontractor, anyone directly or indirectly employed by any of them or anyone for whose acts any of them by be liable.

V. **EXCLUSIONS**

Pursuance to Louisiana Revised Statute 38:2227, Contractor must certify that he has not been convicted of, or has not entered into a plea of guilty or nolo contendere to public bribery, corrupt influencing, extortion, money laundering or their equivalent Federal Crimes. Consultants must further certify that he has not been convicted of, or has not entered into a plea of guilty or nolo contendere to theft, identity theft, theft of a business record, false accounting, issuing worthless checks, bank fraud, forgery; Contractor's misapplication of payments, malfeasance in office, or their equivalent Federal Crimes within the five (5) prior to submitting the proposal.

VI. DISCLOSURE

Company/Consultant must disclose whether it provides services or pays commissions to any employee or elected official of St. John the Baptist Parish. If so, company must disclose to whom services are provided and/or commissions are paid. Both positive and negative responses must be submitted.

VII. LICENSE REQUIREMENTS

A) LICENSES

- (1) When applicable, a current St. John the Baptist Parish Occupational License is to be maintained during the duration of this contract. Yearly, a copy of such license shall be provided to the Director of Purchasing.
- (2) When applicable, a current Louisiana State Contractor's License should be furnished or as stated in the "Scope of Work."

VIII. CERTIFICATES & TAX FORMS

Prior to starting the work, the Contractor shall deliver to the Parish, certificates in triplicate evidencing that the insurance required in Section SC2 above is in effect. Such certificates shall provide that the Insurer shall give the Owner fifteen (15) days written notice of any material change in or cancellation of such insurance.

The Contractor shall submit to the Purchasing Department, a W-9 Tax Form for the Company prior to any work being issued.

IX. COMMENCEMENT OF WORK

The Contractor shall start the work within ten (10) days after he has received a Purchase Order for a designated task or assigned project to complete.

X. TIME OF COMPLETION CONSTRUCTION SCHEDULE

Time is of the essence to complete each project per the Purchase Order request. The Contractor shall diligently pursue the required task to complete each project within a reasonable time limit. Excessive time delays that are unreasonable for completing each project without justification may result in termination.

XI. ENGINEER'S RESPONSIBILITY

The term "Engineer" refers to the firm of C.J. Savoie Consulting Engineers, Inc., which has been designated by the Owner as its contracted engineering representative for this project. The Engineer's Responsibility is as stated in the General Conditions of the Contract as supplemented here. Computations of quantities that are the basis for payment estimates, both monthly and final, will be checked and approved by the Engineer prior to submission to the Public Works Department for final approval. It shall be the duty of the Engineer to enforce the specifications in a fair unbiased manner.

XII. PUBLIC WORKS OR UTILITIES RESPONSIBILITY

The term "Parish" refers to the Public Works Department or Utilities Department and its staff personnel which has been designated by the Parish as its representative for this project. The responsibility is as stated in the General Conditions of the Contract as supplemented here.

The Parish shall designate the right-of-way limits and the beginning and end points for each project.

It will be the Contractor's responsibility to mark and maintain the field limited areas of construction and to establish any additional lines, grade, or elevations that may be needed.

XIII. PARISH PAYMENT RESPONSIBILITY

The Parish's Contracted Engineer, C.J. Savoie Consulting Engineers, Inc., shall submit all partial pay invoices to the Public Works Department or Utilities Department, for the completed Contracted work. The Public Works Department or Utilities Department shall then submit the approved invoices to the St. John the Baptist Parish Finance Department and payment shall be within thirty (30) days from the date of Public Works Department or Utilities Department's approval.

XIV. LIENS

If at any time there shall be evidence of any lien of claims for which the Parish might become liable and which is chargeable to the Contractor, the Parish shall have the right to retain out of any payment then due or thereafter to become due, an amount sufficient for completed indemnifications against such lien or claim. In the event the Parish has already paid to the Contractor all sums due under this Contract or the balance remaining unpaid is insufficient to protect the Parish, the Contractor and his surety shall be liable to the Parish for any loss so sustained.

GENERAL ENGINEERING CONDITIONS

PART I - DEFINITION OF TERMS

A. GENERAL:

Whenever in these Specifications, Addenda, Proposal, Contract and Bond, the following terms are used, the intent and meaning shall be interpreted as follows.

B. THE OWNER:

The Owner shall be as defined in Special Provisions hereof and is contractually titled as St. John the Baptist Parish for these specifications and is designated as the "Parish" throughout these documents.

C. THE ENGINEER:

The Engineers shall be as defined in Special Provisions hereof.

D. PARISH REPRESENTATIVE:

An employee of the Parish Public Works Department or Parish Consulting Engineer who may be placed in the field to represent the Parish.

E. THE BIDDER:

Any qualified individual, firm or corporation submitting a proposal for the equipment or services specified herein, acting directly or through an agent.

F. THE CONTRACTOR:

The agency selected by the Parish and to whom the Contract is awarded by said Parish.

G. THE SUBCONTRACTOR:

Any construction agency selected by the Contractor and approved by the Parish to handle any phase of the contract work.

H. SURETY:

The licensed corporate body which is bound with and for the Contractor and which is primarily liable and responsible for payment of all obligations pertaining to and for the acceptable performance of the work required by the Contract.

I. LABORATORY:

Any testing laboratory designated or approved by the Engineers to perform tests on materials entering the work.

J. BID PROPOSAL:

The written offer and E-verify Affidavit of the bidder to perform the contemplated work and furnish the necessary materials when made out on the prescribed form and properly signed and guaranteed.

K. BID SECURITY:

The security designated in the "Proposal Form" to be furnished by the Bidder as a guarantee of good faith to enter into a Contract with the Parish, if the contract is awarded to him.

L. PLANS (Only when required per the Parish):

The plans, cross-sections, working drawings and supplemental drawings, or exact reproductions thereof, approved by the Parish, which show the location, character, dimensions, and details of the work to be done, and which are to be considered as a part of the Contract supplementary to these Specifications.

M. SPECIFICATIONS:

The direction, provisions and requirements contained herein setting out or relating to the method and manner of performing the work or to the quantities and qualities of material and labor to be furnished under this Contract.

N. CONTRACT:

The written agreement between the Parish and the Contractor covering the performance of the work and the furnishing of labor, materials, tools, equipment, incidentals and service necessary for the completion of the same. The Contract shall be mutually understood to include "Plans", "Specifications", "Addenda", "Alternates", "Proposal", and "Performance Bond", also any and all "Change Orders", which are required to complete the construction of the work in a satisfactory and acceptable manner.

O. CHANGE ORDERS:

A written agreement between the Owner and the Contractor, with the approval of the Parish, which when duly executed becomes part of the Contract. Change Orders may either increase or decrease the work or contractual time to be performed under the Contract.

P. PERFORMANCE BOND:

The approved form of security furnished by the Contractor and his surety as a guarantee of the proper performance of the work and payment for all materials or other obligations contracted by him in the prosecution thereof.

Q. THE WORK:

All work specified herein or indicated in the Specifications as the contemplated improvement, covered by the Contract.

R. PURCHASE ORDER:

A written notice from the Parish notifying the Contractor of the work to be performed at a designated location and to begin the execution of that work.

S. A.A.S.H.O.:

Association of State Highway Officials.

T. A . C . I .

American Concrete Institute.

U. A. I. S.C.

American Institute of Steel Construction.

V. A.G.A.:

American Gas Association.

W. A.1.S.I.:

American Iron and Steel Institute.

X. A.P.I.:

American Petroleum institute.

Y. A.R.E.A.:

American Railroad Engineering Association.

Z. A.S.A.

American Standards Association.

- AA. A.S.C.E.:**
American Society of Civil Engineers.
- BB. A.S.M.E.:**
American Society of Mechanical Engineers.
- CC. A.S.T.M.:**
American Society of Testing Materials.
- DD. A.W.W.A.:**
American Water Works Association.
- EE. C.T. I.:**
Cooling Tower Institute.
- FF. D.E.M.A.:**
Diesel Engines Manufacturers Association.
- GG. D.E.M.A. STANDARD PRACTICES:**
The Standard Practices for Stationary Diesel and Gas Engines of the D. E. M. A.
- HH. H.E.I.:**
Heat Exchange Institute.
- II. I.E.E.E.:**
Institute of Electronic and Electrical Engineers.
- JJ. I.P.C.:**
Institute of Printed Circuitry.
- KK. I.S.A.:**
Instrument Society of American.
- LL. M.S.S.:**
Manufacturers Standardization Society of the Valve and Fitting Industry.

MM. N.B.F.U.:

National Board of Fire Underwriters.

NN. N.E.M.A.:

National Electrical Manufacturers Association.

OO. N.E.S.C.:

National Electrical Safety Code.

PP. N.R.M.A.:

National Ready-Mix Association.

QQ. P. C. I.

Pre-stressed Concrete Institute.

GENERAL ENGINEERING CONDITIONS

PART II - INSTRUCTIONS TO BIDDERS

A. QUALIFICATION OF BIDDERS:

Bidders must be capable of performing the various items of work bid upon. They may be required after bidding to furnish a satisfactory statement covering experience in similar work, a list of machinery, plant organizations and other equipment available for the proposed work, and such statement of their financial resources as may be deemed necessary.

B. BID PROPOSAL:

Bid Proposals shall be made out on forms provided by the Parish and shall be enclosed in an envelope endorsed "Bids" for the designated title shown on the front of the Specifications and addressed to the Parish and delivered in person or mailed to reach the address prior to opening of bids.

C. INTERPRETATION OF DOCUMENTS:

If any person who contemplates submitting a bid for the proposed contract is in doubt as to the meaning of any part of the Plans, Specifications or other proposed Contract Documents, he may submit to the Parish a written request for an interpretation thereof not less than five (5) days prior to the day of opening of bids. Interpretation of the proposed documents will be made only by Addenda issued before bidding, a copy of such Addenda will be mailed or delivered to each person receiving a set of such Contract Documents.

D. EXAMINATION OF SITE, DRAWINGS, ETC.:

Each bidder shall visit the site of the proposed work and shall fully acquaint himself with conditions relating to construction and labor so that he may fully understand the facilities, difficulties and restrictions attending the execution of the work under this Contract. Bidders shall thoroughly examine and be familiar with the Plans and Specifications.

The failure or omission of any bidder to examine Plans, Specifications and General Contract Documents or to visit the site and acquaint himself with conditions there existing, shall in no way relieve the bidder from any obligation with respect to his bid or to the Contract. The submission of a bid shall be taken as prima facie evidence of compliance with this section.

E. **ADDENDA:**

Any addenda, details or supplemental drawings issued during the preparation of bids shall be included in the proposal, and shall become part of the Contract Documents. Subcontractors shall be taken as prima facie evidence of compliance with this section.

F. **BID SECURITY:**

Bid security shall be as stated in the Advertisement for Bidders.

G. **BID PRICE:**

The price bid shall cover furnishing of all materials, tools, labor, transportation, local, State and Federal taxes, Old Age Benefit, Social Security, services and equipment necessary to construct the work in full conformity with Plans and Specifications, Addenda and Contract Document.

GENERAL ENGINEERING CONDITIONS

PART III - SCOPE OF THE WORK

A. ADDITIONAL WORK OR CHANGES:

Without invalidating the Contract, the Parish may make reasonable changes by altering, adding to, or deducting from the work, the Contract Price being adjusted accordingly. No claim for extra work or materials shall be allowed and no alteration of or deduction from the work shall be made unless same is ordered in writing by the Parish.

Where changes ordered by the Parish involve a monetary consideration, the Contract shall be adjusted by negotiation with the terms of said negotiation being expressed in a supplemental agreement of CHANGE ORDER signed by the Parish and the Contractor.

If the Parish and the Contractor are unable to reach an agreement as to the monetary consideration of the Contract addition, the Parish may order the Contractor to do such work on a force account or cost plus basis.

For force account or cost plus work, the Contractor shall be paid the actual reasonable cost of labor and materials entering permanently into the work, plus not to exceed fifteen percent (15%) to cover overhead and profit. The Contractor shall furnish itemized weekly statements to the Parish of the cost of all such work, together with original receipted bills for all materials used and freight charges used and vouchers for labor and equipment engaged therein.

B. CHANGES, INCREASE OR DIMINUTION:

The Parish shall have the right to increase or decrease the amount of work to be done under the Contract at any time or times during the life of the Contract provided that the total increase or diminution does not exceed twenty percent (20%) of the original Contract Price. The total increase or decrease may be applied to any one (1) item or to any number of items, or any item or items may be entirely eliminated. No allowances will be made for real or supposed loss of anticipated profits on account of such increases or diminution.

C. MAINTENANCE OR WORK:

The Contractor shall maintain the work during construction and until the work is finally accepted.

All cost of maintenance work during construction and before the work is finally accepted shall be included in the bid prices quoted for the work; the Contractor will not be paid any additional amount for maintenance work.

D. FINAL CLEANING-UP:

Upon completion of the work, all excess materials, temporary structures and debris resulting from construction shall be removed from the limits of the project, and the completed work left in a neat and presentable condition throughout. All property, both public and private, which has been damaged during the prosecution of the work, shall be restored in an acceptable manner. Materials cleared from the project may not be deposited on the property adjacent thereto unless such disposal is approved by the Parish. All keys shall be tagged and turned over to the Public Works Department or Parish Consulting Engineer.

E. GUARANTEE:

All work as herein specified and/or as indicated on the Plans shall be guaranteed against defects in materials and workmanship from date of completion and final acceptance by the Owner. The Contractor shall, within a reasonable time after receipt of written notice thereof, make good any defects in materials or workmanship which may develop during said one-year period, and any damage to other work caused by such defects or the repairing of same, at his own expenses and without cost to the Parish.

GENERAL ENGINEERING CONDITIONS

PART IV - CONTROL OF THE WORK

A. AUTHORITY OR OWNER AND ENGINEERS:

The Parish, or their Contracted Representative, being C.J. Savoie Consulting Engineers, Inc., shall decide any and all questions which may arise as to the quality or acceptability of materials furnished and work performed and as to the manner of performance and rate of progress of the work and shall decide all questions which may arise as to the interpretation of the Plans and Specifications, and all questions as to the acceptable completion of the project.

The decision of the Contracted Representative, shall be final and binding on all technical questions concerning the execution of the work and interpretation of the Plans and Specifications.

The Parish or their contracted representative, shall have authority to suspend operations at any time when the work, in their opinion, is not being carried out in conformity with the Plans and Specifications.

B. AUTHORITY AND DUTIES OF THE PUBLIC WORKS DEPARTMENT'S REPRESENTATIVE:

The Parish's Contracted Consulting Engineer's Representative will be authorized to inspect all work done and materials furnished. Such inspections may extend to all or to any part of the work and to the preparation or manufacture of the materials to be used.

He may be stationed on the work to report to the Contracted Engineers as to the progress of the work and the manner in which it is being performed, to call attention whenever it appears that materials furnished or work performed fails to fulfill requirement of the Specifications. The Public Works Department's or the Parish's Contracted Consulting Engineer's Representative will not be authorized to revoke, alter, enlarge, or release any requirement of these Specifications contrary to the Engineer's designed and approved Plans and Specifications. He will in no case act as foreman nor will he interfere with management of the work.

C. INSPECTIONS:

The Parish's Contracted Consulted Engineer shall be provided every facility for ascertaining whether or not the work performed and materials used are in accordance with the requirements and intent of the Plans and Specifications.

Failure of the Parish authorized representatives during the progress of the work to discover or reject materials or work not in accordance with the Plans, Specifications and the Contract Documents, shall not be considered an acceptance thereof or a waiver of defects therein; and payment to the Contractor or partial or entire occupancy by the Parish shall not be construed to be an acceptance of the work or materials which are not strictly in accordance with the Plans, Specifications or Contract Documents.

Moreover, the undertaking of inspections by the Parish's Contracted Consulting Engineer as representatives thereof shall not be construed as supervision of actual construction nor make the Parish or their authorized representatives responsible for providing a safe place of safe conditions for the performance of work under the Contract by the Contractor, or Contractor's employees or those of Suppliers or Subcontractors, or for access, visits, use work, travel or occupancy by any persons and the Contractor agrees to indemnify and hold the Parish and their authorized representatives harmless from all claims for damages for personal injury (including accidental death) and property damage which may arise from any operations under this contract, including claims by employees of the Contractor or of any Subcontractor or Supplier.

D. NOTICE AND SERVICE THEREOF:

Any notice to the Contractor from the Parish relating to any part of this contract shall be in writing, shall be considered delivered and the service thereof completed when said notice is posted, by registered mail, to the said Contractor at his last given address, or delivered in person to said Contractor or his authorized representative on the work.

E. DEFECTIVE WORK:

All work which has been rejected shall be satisfactory remedied, or else removed and replaced in an acceptable manner by the Contractor, and no additional compensation shall be allowed for such correction, removal or replacement.

F. COORDINATION OF PLANS, SPECIFICATIONS AND SPECIAL PROVISIONS:

The Plans, the Specifications, the Special Provisions and all supplementary documents are essential parts of this Contract. They are intended to be complementary, to describe and provide for a complete project. A requirement occurring in one segment of the project work is as binding as though occurring in all. In case of a discrepancy, figured dimensions, unless obviously incorrect, shall govern over scaled dimensions; Specifications shall govern over Plans and Special Provisions shall govern over both Plans and General Conditions. The Contractor shall take no advantage of any error or omission of dimensions in the Plans or of any discrepancy between Plans and Specifications. The Parish Contracted Consulting Engineer will make such corrections and supply such omitted dimensions as may be necessary and its interpretation shall be final.

G. SHOP DRAWINGS:

The Contractor and Subcontractor shall furnish all shop drawings required by the Plans and Specifications or requested by the Parish. Shop drawings shall be submitted for approval in six (6) copies, two (2) copies of which will be returned, approved or corrected. Approval of shop drawings by the Parish's Contracted Consulting Engineer shall not relieve the Contractor or Subcontractor from responsibility for errors or omission therein, and the Contractor shall be fully responsible for furnishing materials, devices, and layouts of proper dimensions, size, quantity, quality, and performance characteristics to efficiently perform the requirements and intent of the Contract Documents.

GENERAL ENGINEERING CONDITIONS

PART V - CONTROL OF MATERIALS

A. MANUFACTURED ARTICLES:

Wherever in these Specifications certain equipment, materials or manufactured products are called for or described, such are specified to establish a standard of quality and it will be so called for, and that the Contractor's proposal, if accepted, will constitute a contractual obligation to furnish the specified equipment, materials or articles.

If Contractors bid on substitute materials or offer alternate bids, they must state with their bid a complete description of the proposed substitution, and the difference in cost, if any, between the proposed substitution and the material or article include in the base bid as standard. The determination as to whether or not such substitution shall rest solely with the Parish and the Public Works Department or Parish Consulting Engineer.

B. SOURCE OF SUPPLY AND QUALITY OF MATERIALS:

The source of supply of each of the materials shall be approved by the Parish before the delivery is started. Representative preliminary samples of the character and quantity prescribed shall be submitted by the Contractor or producer for examination and testing. Only materials tested and found to conform to the requirements of these Specifications and approved by the Parish shall be used in the work. All materials proposed to be used may be inspected or tested at any time during their preparation and use. If, after trial, it is found that sources of supply which have been approved do not furnish a uniform product, or if the product from any source proves unacceptable at any time, the Contractor shall furnish approved material from other approved sources.

No material, which after approval, has in any way become unfit for use shall be used in the work. Stored material even though approved before being stored shall be inspected prior to use in the work and shall meet the requirements of the Specifications at the time of its use.

C. LIST OF MATERIAL AND EQUIPMENT:

Within thirty (30) days after the signing of the Contract, the Contractor shall submit to the Parish, in duplicate, a list of all materials and equipment ordered for the project, the manufacturers or agents from whom ordered, catalog and type number, quantity ordered, and the promised delivery date on each item. Any subsequent changes in list of materials, manufacturer's type, quantity or delivery dates shall be promptly brought to the attention of the Parish.

D. STORAGE OF MATERIALS:

Materials shall be stored so as to insure the preservation of their fitness for the work, and in a manner that leaves the material accessible to inspectors. Storage shall not interfere with the prosecution of the work or with public travel.

E. TESTING OF MATERIALS:

The Parish will appoint and the Contractor will pay for the services of a competent Testing Laboratory testing of recognized standing for the testing and control of materials entering into the construction of this project.

The Contractor shall furnish, without additional charge, samples of various materials, laboratory testing as required by the Parish. The contractor shall cooperate fully with Parish and the Testing Laboratory in the making of the required tests.

F. DEFECTIVE MATERIALS:

All materials not conforming to the requirements of these Specifications shall be considered as defective and all such materials, whether in place or not, shall be rejected and shall be removed immediately from the site of the work, unless otherwise permitted by the Parish.

No rejected material, the defects of which have been subsequently corrected, shall be used until approval has been given. Upon failure on the part of the Contractor to forthwith comply with any order of the Parish made under the provisions of this Article, the Parish shall have authority to remove and replace defective material and to deduct the cost of removal and replacement from any monies due or to become due to the Contractor under this Contract.

GENERAL ENGINEERING CONDITIONS

**PART VI - LEGAL RELATIONS AND RESPONSIBILITIES
TO THE PUBLIC:**

A. AUTOMOBILE LIABILITY INSURANCE:

Automobile Liability Insurance shall be in accordance with the "Special Conditions" section of these specifications.

B. PUBLIC SAFETY AND CONVENIENCE:

The contractor shall at all times so conduct his work as to insure the least practicable obstruction to traffic. The convenience of the general public and the protection of persons and property shall be adequately provided for by the Contractor.

C. MAINTENANCE OF EXISTING TRAFFIC:

Suitable facilities shall be provided for maintaining public travel, and every effort shall be made to reduce any necessary inconvenience to said public travel to the minimum. Precautions shall be taken for the adequate protection of the public and the workmen during the prosecution of the work.

D. BARRICADES, DANGER SIGNS, ETC.:

The Contractor shall provide, erect and maintain all necessary barricades, danger signals, and signs, provide a sufficient number of watchmen and take all necessary precautions for the protection of the work and workmen and for the safety of the public.

E. SANITARY CONDITIONS:

The Contractor shall provide and maintain in a neat, sanitary condition, such accommodations for the use of his employees as may be necessary to comply with the requirements and regulations of the State Department of Health and Hospitals in the State in which the work is being done or of other authorities having jurisdiction. He shall commit no public nuisance.

F. RIGHT-OF-WAY

The Parish will furnish the Contractor with all necessary right-of-way for the prosecution of his work. The right-of-way herein referred to is understood to mean only the permission to use and pass through the location or space in any street or highway or through any public or private property in which the Contractor is to construct the work, and does not obligate the Parish to remove or change or be responsible for any structure for which the Contractor is obligated, or for any wires, lamps or other overhead, surface or underground construction which may interfere with the operation or movement of the Contractor's equipment.

GENERAL ENGINEERING CONDITIONS

PART VII - PROSECUTION AND PROGRESS OF WORK

A. SUBCONTRACTING:

The Parish shall have the right of approval or rejection of Subcontractors proposed for this work by the Contractor. If the Contractor sublets any part of this Contract, the Contractor shall be as fully responsible to the Parish for the acts and omissions of his Subcontractor and of the persons either directly or indirectly employed by his Subcontractor, as he is for the acts and omissions of persons directly employed by him.

B. ASSIGNMENT:

Neither party to the Contract shall assign or sublet his entire interest in this Contract without written consent of the other, nor shall the Contractor assign any monies due or to become due to him under this Contract, without previous written consent of the Parish.

C. COOPERATION WITH PUBLIC UTILITIES:

The Contractor shall be responsible for notifying all public utilities or other interested parties to make necessary adjustments of utility structures or appurtenances affected by the work.

The Contractor will be responsible for any damage done by him to any utility structure owned or controlled by any agency, public or private. He shall perform and carry on the work so as not to interfere with or damage utility structures mentioned herein or shown on the Plans or discovered during construction, which are to be left within the limits of the work.

The Parish will not be responsible for any delay or inconvenience to the Contractor in carrying out the work resulting from the existence, removal or adjustment of any public utility. Additional costs incurred as a result thereof shall be the expense of the Contractor.

D. LABOR:

All persons employed must be legal citizens of the United States of America or a legal alien verified by a Status verification system as defined under LSA R.S. 38:2212.10. Preference shall be given to local labor where available.

All labor, as well as mechanics, must be proficient in their respective trades as no mediocre work will be accepted.

Contractors must comply with all local ordinances and State laws regarding labor and mechanics in effect at the time of the signing of this Contract or passed during the construction of the work. The Contractor shall include in his bid and pay all Federal and State taxes or assessment on labor.

E. OWNER'S RIGHT TO OCCUPANCY:

The Parish, or any other person under authority and permission granted by the Owner, shall have the right to use, at any time, any and all portions of the work that have reached a stage of completion as to permit such occupancy, provided such occupancy does not hamper the Contractor or prevent the efficient completion of the Contract. The Contractor obligates himself to permit such use, and to use every effort to facilitate the Parish in the occupancy of such available and useful portions of the work.

F. MATERIAL FURNISHED BY OWNER:

The Parish reserves the right to furnish certain materials to the contractor for use in the consummation of this work. The Contractor shall give the Parish proper credit on the contract amount for such materials furnished. The credit given shall be based on the present market price of that material.

G. TIME OF COMPLETED WORK:

The work covered by the Plans, Specifications and Contract Documents must be completed sufficient for acceptance within the time specified in the Contract and/or Special Provisions hereof.

H. LIQUIDATED DAMAGES:

As time is of the essence in this Contract, should the Contractor fail to complete the work sufficient for acceptance by the Parish within the time specified, both parties to the Contract mutually agree that the Contractor shall pay the Parish, as acknowledged liquidated damages, in the amount of \$300.00 affixed an agreed (as stipulated in the Contract and/or Special Provisions hereof) per calendar day that he is delinquent, which amount shall be reported by the Public Works Department or Parish Consulting Engineer and shall be deducted and withheld by the Parish from the balance due or to become due the Contractor under the terms of this Contract.

This provision for liquidated damages shall be effective between the parties ipso facto without necessity for demand or putting in default by any notice or other means than by the terms of this Contract, the Contractor hereby waiving any such other notice of default and specially acknowledging that Contractor shall be deemed to be in default by the mere act of his failure to complete the work within the time specified, or within any valid extension of such time hereunder.

I. EXTENSIONS OF TIME:

Extensions of time will be granted to the Contractor upon receipt of written request for such extensions, provided that such delays were occasioned by the Parish, by Acts of God (provided such Acts of God were not preceded by some fault of the Contractor without which the delay would not have occurred) or by causes entirely beyond the Contractor's control. In the event additional time is earned by the Contractor under the terms of this Agreement, or is granted by the Parish, such fact shall not be interpreted as a waiver of the full obligation on the part of the Contractor to complete the work within the extended time. Request for extension shall be made within five (5) days following the event occasioning the delay.

J. DELAYED CONSTRUCTION PAYMENT:

In addition to the liquidated damages provided for in Item H of this Section (and as stipulated in the Contract and/or Special Provisions thereof), and irrespective of whether liquidated damages are in fact assessed, should the Contractor fail to complete the work sufficient for acceptance by the Parish within the time specified, the Parish shall assess and deduct from any balance due or to become due the Contractor under the terms of this Contract the sum of One Thousand Two Hundred and No/100 (\$1,200.00) Dollars for each period of thirty (30) days of fraction thereof, commencing on the first day of the delinquency and terminating on the date of final acceptance by the Parish to the Engineers for supervisor services rendered during such delinquency period.

K. REMEDIAL WORK:

If, after final acceptance of the work, the Contractor shall be required to make good any defects in material or workmanship or to repair damage to other work, as provided in Section III, Item E, the Contractor shall pay to the Parish for the account of the Engineers a Supervisory Fee equal to One Thousand Two Hundred and No/100 (\$1,200.00) Dollars for each thirty (30) day period of fraction thereof commencing on the date of issuance by the Parish of a work order for such remedial work and terminating on the date of Parish's final acceptance of such work.

L. TERMINATION FOR CAUSE:

PARISH may terminate this Agreement for cause based upon the failure of the CONTRACTOR to comply with the terms and/or conditions of this Agreement; provided that PARISH shall give the CONTRACTOR written notice specifying the CONTRACTOR'S failure to perform and provide thirty (30) calendar days' notice, from mailing of the notice, to cure and/or remedy the stated non-compliance. The Agreement shall terminate thirty (30) calendar days from the date the notice was mailed.

The CONTRACTOR may terminate this Agreement for cause based upon the failure of the PARISH to comply with the terms and/or conditions of this Agreement, provided that CONTRACTOR shall give the PARISH written notice specifying the PARISH'S failure to perform and provide thirty (30) calendar days' notice, from mailing of the notice, to cure and/or remedy the stated non-compliance. This Agreement shall terminate thirty (30) calendar days from the date of the notice was mailed.

Notwithstanding the above, the CONTRACTOR will not be relieved of liability to PARISH for damages sustained by PARISH by virtue of any breach of this Agreement by the CONTRACTOR, and PARISH may withhold any payments to the CONTRACTOR for the purpose of setoff until such time as the exact amount of damages due PARISH from the CONTRACTOR is determined.

M. TERMINATION FOR CONVENIENCE:

PARISH may terminate this Agreement at any time by giving thirty (30) days written notice to the CONTRACTOR. The CONTRACTOR shall be entitled to payment for deliverables in progress, to the extent work has been performed satisfactorily.

N. SUPERVISION AND GENERAL FOREMAN:

The Contractor shall employ and keep on the work at all times a competent general superintendent or foreman as his representative and, in the absence of the Contractor from work, instructions given or notices served on this superintendent shall be binding upon the Contractor.

Any superintendent, foreman or workman employed on this project who disregards orders or instructions, does not perform this work in a proper, skillful and expeditious manner or is otherwise objectionable, shall be removed from the work and shall be replaced by a suitable superintendent, foreman or workman.

The Contractor shall personally see to it that all subcontracts and divisions of the work are executed in proper and workmanlike manner on scheduled time, and with due and proper cooperation.